

## WEST Search History for Application 09309412

Creation Date: 2008120313:00

Query	DB	Op.	Plur.	Thes.	Date
(restrictive near5 control near3 information) and (decrypt\$3 near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-29-2008
(request\$3 or ask\$3)near5(decrypt\$3 near3 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-29-2008
(conditional near4 access near3 manag\$4) and ((request\$3 or ask\$3)near5(decrypt\$3 near3 key) )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		07-29-2008
(transmit\$4 or send\$4 or giv\$4 or forward\$4)near5(data or information or packets)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(transmit\$4 or forward\$4 or send\$4)near5(encrypt\$4 or mask\$4 or scrambl\$4)near5(packet\$2 or information or data)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(transmit\$4 or forward\$4 or send\$4)near5(encrypt\$4 or mask\$4 or scrambl\$4)with(packet\$2 or information or data)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(first near4 channel or landline or telephone) and (((transmit\$4 or send\$4 or giv\$4 or forward\$4)near5(data or information or packets) ) and (((transmit\$4 or forward\$4 or send\$4)near5(encrypt\$4 or mask\$4 or	PGPB, USPT, EPAB, JPAB,	OR			07-29-2008

scrambl\$4)with(packet\$2 or information or data) )	DWPI, TDBD				
(transmit\$4 or forward\$4 or send\$4)near5(restrictive near4 control near4 information or session near4 key or secret near4 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
((first near4 channel or landline or telephone) and (transmit\$4 or send\$4 or giv\$4 or forward\$4)near5(data or information or packets) and (transmit\$4 or forward\$4 or send\$4)near5(encrypt\$4 or mask\$4 or scrambl\$4)with(packet\$2 or information or data) ) and ((transmit\$4 or forward\$4 or send\$4)near5(restrictive near4 control near4 information or session near4 key or secret near4 key) )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(transmit\$4 or send\$4 or giv\$4 or forward\$4)near5(encrypt\$4 or mask\$4 or scrambl\$4)with(data or information or packets)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(transmit\$4 or send\$4 or giv\$4 or forward\$4)near5(encrypt\$4)with(first near4 channel or channel)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
((transmit\$4 or send\$4 or giv\$4 or forward\$4)near5(encrypt\$4 or mask\$4 or scrambl\$4)with(data or information or packets) ) and ((transmit\$4 or send\$4 or giv\$4 or forward\$4)near5(encrypt\$4)with(first near4 channel or channel) )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(first and second)near5(channel) and ((transmit\$4 or forward\$4 or send\$4)near5(restrictive near4 control near4 information or session near4 key or secret near4 key) ) and ((transmit\$4 or send\$4 or giv\$4 or forward\$4)near5(encrypt\$4 or mask\$4 or scrambl\$4)with(data or information or packets) and (transmit\$4 or send\$4 or giv\$4 or forward\$4)near5(encrypt\$4)with(first near4 channel or channel) )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(second or satellite or cable or broadband)near5(channel)	PGPB, USPT, EPAB,	OR			07-29-2008

	JPAB, DWPI, TDBD				
((second or satellite or cable or broadband)near5(channel) ) and ((transmit\$4 or send\$4 or giv\$4 or forward\$4)near5(encrypt\$4 or mask\$4 or scrambl\$4)with(data or information or packets) and (transmit\$4 or send\$4 or giv\$4 or forward\$4)near5(encrypt\$4)with(first near4 channel or channel) )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(713/160).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(713/161).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(713/162).ccls. and(encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(713/163).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(380/200).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(380/201).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008

(380/211).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(380/217).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(380/239).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(726/2).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(726/3).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(726/13).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
Kazuhiro near Hara.in. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
Sony.as. and (encrypt\$4)with(data)and(first and second)near4(channel)	PGPB, USPT, EPAB, JPAB,	OR			07-29-2008

	DWPI, TDBD				
(transmit\$4)near5(data)with(receiver or receiv\$4)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(transmit\$4)near5(encrypt\$4)with(data)with(first near4 channel or channel)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
((transmit\$4)near5(data)with(receiver or receiv\$4) ) and ((transmit\$4)near5(encrypt\$4)with(data)with(first near4 channel or channel) )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(transmit\$4)near5(encrypt\$4 near3 key) and (receiv\$4)near5(decrypt\$4 near4 key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(session near4 key)with(encrypt\$4 and decrypt\$4) and ((transmit\$4)near5(encrypt\$4 near3 key) and (receiv\$4)near5(decrypt\$4 near4 key) )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(updat\$4 or chang\$4)with(session near4 key) and ((session near4 key)with(encrypt\$4 and decrypt\$4) and (transmit\$4)near5(encrypt\$4 near3 key) and (receiv\$4)near5(decrypt\$4 near4 key) )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			07-29-2008
(request\$4 or ask\$4)near5(decryption near key or session near key or secret near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
		OR	YES		12-03-2008

(request\$4 or ask\$4)near5(decryption near key or session near key or secret near key)near6(second near channel or landline or telephone)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
(data near receiv\$6 or obtain\$5 or get\$5)near5(fail\$4)with(decryption near key or session near key or secret near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(connect\$4 or put\$5 near5 network)near5(add\$4 or updat\$4)near5(data near receiv\$6 or obtain\$5 or get\$5)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
((connect\$4 or put\$5 near5 network)near5(add\$4 or updat\$4)near5(data near receiv\$6 or obtain\$5 or get\$5) ) and ((request\$4 or ask\$4)near5(decryption near key or session near key or secret near key) )	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(obtain\$4 or receiv\$4 or get\$5)near5(decryption near key or session near key or secret near key)near6(connect\$5 near failure or connect\$5 near fail\$5)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(data near receiv\$6)near5(rejoin\$5 near network or rejoin\$5 near connect\$4)with(decryption near key or secret near key or session near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(receiv\$4 or computer)near5(reconnect\$5 or rejoin\$4)near4(network)with(decryption near key or session near key or secret near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(fail\$5)near5(receiv\$5 or obtain\$5 or get\$5)with(decryption near key or secret near key or session near key)	PGPB, USPT, EPAB, JPAB,	OR	YES		12-03-2008

	DWPI, TDBD				
(connect\$4)near5(new near data near receiv\$6)with(decryption near key or secret near key or session near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(713/160).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(713/161).ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(713/162).ccls. and(encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(713/163).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(380/200).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(380/201).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
		OR	YES		12-03-2008

(380/211).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
(380/217).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(380/239).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(726/2).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(726/3).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(726/13).ccls. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
Kazuhiro near Hara.in. and (encrypt\$4 or scrambl\$4 or mask\$4)near5(data or information or packet\$2 or message)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
Sony.as. and (encrypt\$4)with(data)and(first and second)near4(channel)	PGPB, USPT, EPAB, JPAB,	OR	YES		12-03-2008



	DWPI, TDBD				
(data near receiv\$5 or converter\$2 or set near top near box or cable near box)near5(fail\$4)with(decryption near key or session near key or secret near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(data near receiv\$5 or converter\$2 or set near top near box or cable near box)near5(fail\$4)near5(decryption near key or session near key or secret near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
(receiv\$4 or computer or converter or set near top near box or cable near box)near5(reconnect\$5 or rejoin\$4)near4(network)with(decryption near key or session near key or secret near key)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008
713/151.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		12-03-2008